

ADAPTORS

Although the range of FLEXOLITE hose-end fittings is extensive it is impossible to produce a suitable fitting for every occasion. Where no suitable fitting is available the use of an adaptor may make the installation possible. Please consult the list of FLEXOLITE adaptors below for your particular requirement, but remember, the range is continually being increased and we are happy to produce custom fittings and adaptors for specialised requirements.

For details on ordering, part numbers, and threads please see the Technical Section.

JIC/JIC EQUAL THREAD



STRAIGHT MALE X120

SPECIFIC	MATERIAL	DETAIL
/10	D, C	5/16 x 24
/11	P, CH, D	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12

45° MALE BULKHEAD X122



/11	P, D, C	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12



STRAIGHT MALE BULKHEAD X121

/11	P, D, C	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12

90° MALE ELBOW X123



/11	D	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12



90° MALE TO FEMALE (SWIVEL) X152

/11	D	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12



THREE WAY (TEE) MALE BULKHEAD ON BRANCH X126

/11	P, D, C	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12



90° MALE BULKHEAD X124

/11	P, D, C	3/8 x 24
/12	P, D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12



THREE WAY MALE (TEE) BULKHEAD ON RUN X127

/11	D	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12



THREE WAY (TEE) MALE X125

/11	P, D, C	3/8 x 24
/12	P, D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12



THREE WAY (TEE) WITH FEMALE (SWIVEL) ON BRANCH X128

/11	D	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12




**THREE WAY (TEE) WITH
FEMALE (SWIVEL) ON RUN X129**

/11	D	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12

JIC (37°) PLUG X132



/10	D	5/16 x 24
/11	D	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12



THREE WAY (TEE) FEMALE X130

/11	D	3/8 x 24
/12	D	7/16 x 20
/14	D	9/16 x 18
/16	D	3/4 x 16
/17	D	7/8 x 14
/18	D	1-1/16 x 12
/19	D	1-5/16 x 12

SAE (FLAT SEAT) PLUG X133



/10	D	5/16 x 24
/11	D	3/8 x 24
/12	D	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12



FEMALE TO FEMALE (SWIVEL) X131

/11	D	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12

JIC CAP X134



/10	D	5/16 x 24
/11	D	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12

LOCKNUT X135



/11	P, CH, D, C	3/8 x 24
/12	D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12

JIC/JIC REDUCERS



MALE/MALE X137

SPECIFIC	MATERIAL	THREAD A	THREAD B
/11/10	C	3/8 x 24	5/16 x 24
/12/11	P, D	7/16 x 20	3/8 x 24
/14/12	P, D, C	9/16 x 18	7/16 x 20
/16/14	P, D, C	3/4 x 16	9/16 x 18
/17/14	P, D, C	7/8 x 14	9/16 x 18
/17/16	P, D, C	7/8 x 14	3/4 x 16
/18/14	P, D, C	1-1/16 x 12	9/16 x 18
/18/16	P, D, C	1-1/16 x 12	3/4 x 16
/18/17	P, D, C	1-1/16 x 12	7/8 x 14
/19/17	D, C	1-5/16 x 12	7/8 x 14
/19/18	D, C	1-5/16 x 12	1-1/16 x 12

MALE WELD FLANGE X136




/10	P, C	5/16 x 24
/11	P, D, C	3/8 x 24
/12	P, D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12

FEMALE/MALE X138

/12/11	D	7/16 x 20	3/8 x 24
/14/12	D	9/16 x 18	7/16 x 20
/16/14	D, C	3/4 x 16	9/16 x 18
/17/16	D, C	7/8 x 14	3/4 x 16
/18/16	D, C	1-1/16 x 12	3/4 x 16
/18/17	D, C	1-1/16 x 12	7/8 x 14
/19/18	D, C	1-5/16 x 12	1-1/16 x 12

FEMALE WELD FLANGE X156



/10	P, C	5/16 x 24
/11	P, D, C	3/8 x 24
/12	P, D, C	7/16 x 20
/14	D, C	9/16 x 18
/16	D, C	3/4 x 16
/17	D, C	7/8 x 14
/18	D, C	1-1/16 x 12
/19	D, C	1-5/16 x 12





JIC/NPTF ADAPTORS

STRAIGHT MALE/MALE ADAPTOR X139

SPECIFIC	MATERIAL	JIC THREAD	NPTF THREAD
/11/71	P, D, C	3/8 x 24	1/8 x 27
/11/72	P, D, C	3/8 x 24	1/4 x 18
/12/71	P, D, C	7/16 x 20	1/8 x 27
/12/72	P, D, C	7/16 x 20	1/4 x 18
/14/71	P, D	9/16 x 18	1/8 x 27
/14/72	P, D	9/16 x 18	1/4 x 27
/14/73	P, D, C	9/16 x 18	3/8 x 18
/14/74	P, D	9/16 x 18	1/2 x 14
/16/72	P, D	3/4 x 16	1/4 x 18
/16/73	P, D	3/4 x 16	3/8 x 18
/16/74	P, D, C	3/4 x 16	1/2 x 14
/16/75	D	3/4 x 16	3/4 x 14
/17/73	D	7/8 x 14	3/8 x 18
/17/74	D, C	7/8 x 14	1/2 x 14
/17/75	D	7/8 x 14	3/4 x 14
/18/74	D	1-1/16 x 12	1/2 x 14
/18/75	D, C	1-1/16 x 12	3/4 x 14
/18/76	D	1-1/16 x 12	1 x 11-1/2
/19/75	D	1-5/16 x 12	3/4 x 14
/19/76	D	1-5/16 x 12	1 x 11-1/2



45° MALE/MALE ADAPTOR X140

/11/71	P, D, C	3/8 x 24	1/8 x 27
/12/71	P, D, C	7/16 x 20	1/8 x 27
/12/72	P, D, C	7/16 x 20	1/4 x 18
/14/71	P, D	9/16 x 18	1/8 x 27
/14/72	P, D	9/16 x 18	1/4 x 27
/14/73	P, D, C	9/16 x 18	3/8 x 18
/14/74	P, D	9/16 x 18	1/2 x 14
/16/72	P, D	3/4 x 16	1/4 x 18
/16/73	P, D	3/4 x 16	3/8 x 18
/16/74	P, D, C	3/4 x 16	1/2 x 14
/17/73	D	7/8 x 14	3/8 x 18
/17/74	D, C	7/8 x 14	1/2 x 14
/17/75	D	7/8 x 14	3/4 x 14
/18/74	D	1-1/16 x 12	1/2 x 14
/18/75	D, C	1-1/16 x 12	3/4 x 14
/19/75	D	1-5/16 x 12	3/4 x 14
/19/76	D	1-5/16 x 12	1 x 11-1/2



90° MALE/MALE ADAPTOR X141

/11/71	P, D, C	3/8 x 24	1/8 x 27
/12/71	P, D, C	7/16 x 20	1/8 x 27
/12/72	P, D, C	7/16 x 20	1/4 x 18
/14/71	P, D	9/16 x 18	1/8 x 27
/14/72	P, D	9/16 x 18	1/4 x 27
/14/73	P, D, C	9/16 x 18	3/8 x 18
/14/74	P, D	9/16 x 18	1/2 x 14
/16/72	P, D	3/4 x 16	1/4 x 18
/16/73	P, D	3/4 x 16	3/8 x 18
/16/74	P, D, C	3/4 x 16	1/2 x 14
/17/73	D	7/8 x 14	3/8 x 18
/17/74	D, C	7/8 x 14	1/2 x 14
/17/75	D	7/8 x 14	3/4 x 14
/18/74	D	1-1/16 x 12	1/2 x 14
/18/75	D, C	1-1/16 x 12	3/4 x 14
/19/75	D	1-5/16 x 12	3/4 x 14
/19/76	D	1-5/16 x 12	1 x 11-1/2



THREE WAY (TEE) WITH NPTF ON BRANCH X142

/11/71	D	3/8 x 24	1/8 x 27
/12/71	D	7/16 x 20	1/8 x 27
/12/72	C	7/16 x 20	1/4 x 18
/14/72	D	9/16 x 18	1/4 x 18
/14/73	C	9/16 x 18	3/8 x 18
/16/73	D	3/4 x 16	3/8 x 18
/17/74	D, C	7/8 x 14	1/2 x 14
/18/75	D, C	1-1/16 x 12	3/4 x 14



THREE WAY (TEE) WITH NPTF ON RUN X143

/11/71	D	3/8 x 24	1/8 x 27
/12/71	D	7/16 x 20	1/8 x 27
/12/72	C	7/16 x 20	1/4 x 18
/14/72	D	9/16 x 18	1/4 x 18
/14/73	C	9/16 x 18	3/8 x 18
/16/73	D	3/4 x 16	3/8 x 18
/17/74	D, C	7/8 x 14	1/2 x 14
/18/75	D, C	1-1/16 x 12	3/4 x 14



JIC FEMALE SWIVEL/NPTF MALE STRAIGHT X144

/12/71	D	7/16 x 20	1/8 x 27
/12/72	C	7/16 x 20	1/4 x 18
/14/71	D	9/16 x 18	1/8 x 27
/14/72	D	9/16 x 18	1/4 x 18
/14/73	D, C	9/16 x 18	3/8 x 18
/16/73	D	3/4 x 16	3/8 x 18
/16/74	D, C	3/4 x 16	1/2 x 14
/17/74	D, C	7/8 x 14	1/2 x 14

JIC/METRIC MALE/MALE ADAPTOR



X100 **X101** **X102**
Metric Convex **Metric Concave** **Metric Convex Bulkhead**

SPECIFIC	MATERIAL	JIC THREAD	METRIC THREAD
/10/33	C	5/16 x 24	8 x 1.00
/10/35	C	5/16 x 24	10 x 1.00
/10/36	C	5/16 x 24	10 x 1.25
/11/33	P, C	3/8 x 24	8 x 1.00
/11/34	P, C	3/8 x 24	8 x 1.25
/11/35#	P, C, D	3/8 x 24	10 x 1.00
/11/36#	P, C, D	3/8 x 24	10 x 1.25
/11/38	P, C, D	3/8 x 24	12 x 1.00
/11/39	P	3/8 x 24	12 x 1.25
/11/40	D	3/8 x 24	12 x 1.50
/11/42	D	3/8 x 24	14 x 1.50
/11/43	D	3/8 x 24	16 x 1.50
/11/44	D	3/8 x 24	18 x 1.50
/11/45	D	3/8 x 24	20 x 1.50
/11/46	D	3/8 x 24	22 x 1.50
/12/33	D	7/16 x 20	8 x 1.00
/12/35	P, C, D	7/16 x 20	10 x 1.00
/12/36	P, C, D	7/16 x 20	10 x 1.25
/12/37	P	7/16 x 20	10 x 1.50
/12/38	P, C, D	7/16 x 20	12 x 1.00
/12/39	P	7/16 x 20	12 x 1.25
/12/40	P, D	7/16 x 20	12 x 1.50
/12/42	D	7/16 x 20	14 x 1.50

/12/43	D	7/16 x 20	16 x 1.50
/12/44	D	7/16 x 20	18 x 1.50
/12/45	D	7/16 x 20	20 x 1.50
/12/46	D	7/16 x 20	22 x 1.50
/14/33	C	9/16 x 18	8 x 1.00
/14/35	D	9/16 x 18	10 x 1.00
/14/36	D	9/16 x 18	10 x 1.25
/14/37	D	9/16 x 18	10 x 1.50
/14/38	D	9/16 x 18	12 x 1.00
/14/39	P, C	9/16 x 18	12 x 1.25
/14/40	P, D	9/16 x 18	12 x 1.50
/14/42	P, D	9/16 x 18	14 x 1.50
/14/43	P, D	9/16 x 18	16 x 1.50
/14/44	D	9/16 x 18	18 x 1.50
/14/45	D	9/16 x 18	20 x 1.50
/14/46	D	9/16 x 18	22 x 1.50
/14/47	D	9/16 x 18	24 x 1.50
/16/35	D	3/4 x 16	10 x 1.00
/16/37	D	3/4 x 16	10 x 1.50
/16/39	D	3/4 x 16	12 x 1.25
/16/40	P, D	3/4 x 16	12 x 1.50
/16/42	P, D	3/4 x 16	14 x 1.50
/16/43	P, D	3/4 x 16	16 x 1.50
/16/44	D	3/4 x 16	18 x 1.50
/16/45	D	3/4 x 16	20 x 1.50
/16/46	D	3/4 x 16	22 x 1.50
/16/47	D	3/4 x 16	24 x 1.50
/16/48	D	3/4 x 16	26 x 1.50
/17/43	P, D	7/8 x 14	16 x 1.50
/17/44	D	7/8 x 14	18 x 1.50
/17/45	D	7/8 x 14	20 x 1.50

#BULKHEAD FITTING AVAILABLE IN THESE SIZES ONLY

CONTINUED

MATERIALS: P = ZINC-PLATED MILD STEEL; CH = CHROMIUM-PLATED STEEL; D = ANODIZED ALLOY; C = STAINLESS STEEL. T = TITANIUM

SPECIFIC	MATERIAL	JIC THREAD	METRIC THREAD
/17/46	D	7/8 x 14	22 x 1.50
/17/47	D	7/8 x 14	24 x 1.50
/17/48	D	7/8 x 14	26 x 1.50
/17/49	D	7/8 x 14	30 x 1.50
/18/44	D	1-1/16 x 12	18 x 1.50
/18/45	D	1-1/16 x 12	20 x 1.50
/18/46	D	1-1/16 x 12	22 x 1.50
/18/48	D	1-1/16 x 12	26 x 1.50
/18/49	D	1-1/16 x 12	30 x 1.50
/19/48	D	1-5/16 x 12	26 x 1.50
/19/49	D	1-5/16 x 12	30 x 1.50

JIC/BSP ADAPTORS



STRAIGHT MALE/MALE X103

SPECIFIC	MATERIAL	JIC THREAD	BSP THREAD
/10/51	P	5/16 x 24	1/8 x 28
/11/51	P, CH	3/8 x 24	1/8 x 28
/12/51	P, CH	7/16 x 20	1/8 x 28
/13/51	P	1/2 x 20	1/8 x 28
/14/51	D	9/16 x 18	1/8 x 28
/16/51	D	3/4 x 16	1/8 x 28
/11/52	P	3/8 x 24	1/4 x 19
/12/52	P, C	7/16 x 20	1/4 x 19
/13/52	P, D, C	1/2 x 20	1/4 x 19
/14/52	P, D	9/16 x 18	1/4 x 19
/15/52	P, D	5/8 x 18	1/4 x 19
/16/52	P, D	3/4 x 16	1/4 x 19

/17/52	P, D	7/8 x 14	1/4 x 19
/13/53	P, D	1/2 x 20	3/8 x 19
/14/53	P, D, C	9/16 x 18	3/8 x 19
/15/53	P, D	5/8 x 18	3/8 x 19
/16/53	P, D	3/4 x 16	3/8 x 19
/17/53	P, D	7/8 x 14	3/8 x 19
/18/53	P, D	1-1/16 x 12	3/8 x 19
/16/54	P, D	3/4 x 16	1/2 x 14
/17/54	P, D, C	7/8 x 14	1/2 x 14
/18/54	P, D	1-1/16 x 12	1/2 x 14
/18/56	C	1-1/16 x 12	3/4 x 14
/19/56	P, D	1-5/16 x 12	3/4 x 14



STRAIGHT MALE/MALE BULKHEAD ADAPTOR X104

/11/51	P, CH	3/8 x 24	1/8 x 24
/12/51	P, CH	7/16 x 20	1/8 x 24
/11/52	P	3/8 x 24	1/4 x 19
/12/52	P	7/16 x 20	1/4 x 19

BSP ADAPTORS



STRAIGHT MALE/MALE X108

SPECIFIC	MATERIAL	THREAD
/51	P, C	1/8 x 28
/52	P, C	1/4 x 19
/53	P, C	3/8 x 19
/54	P, C	1/2 x 14



HEX-HEAD PLUG X109

SPECIFIC	MATERIAL	THREAD A	THREAD B
/51	P, C	1/8 x 28	
/52	P, C	1/4 x 19	
/53	P, C	3/8 x 19	
/54	P, C	1/2 x 14	




BSP/BSP MALE/MALE UNEQUAL THREAD X112

SPECIFIC	MATERIAL	THREAD A	THREAD B
/51/52	P, C	1/8 x 28	1/4 x 19
/51/53	P, C	1/8 x 28	3/8 x 19
/51/54	P, C	1/8 x 28	1/2 x 14
/52/53	P, C	1/4 x 19	3/8 x 19
/52/54	P, C	1/4 x 19	1/2 x 14
/52/55	P, C	1/4 x 19	5/8 x 14
/52/56	P, C	1/4 x 19	3/4 x 14
/53/54	P, C	3/8 x 19	1/2 x 14



CAP X110

/51	P, C	1/8 x 28
/52	P, C	1/4 x 19
/53	P, C	3/8 x 19
/54	P, C	1/2 x 14



BSP/METRIC (CONCAVE) MALE/MALE X105

SPECIFIC	MATERIAL	BSP THREAD	METRIC THREAD
/51/33	P, CH	1/8 x 28	8 x 1.00
/51/35	P, CH	1/8 x 28	10 x 1.00
/51/36	P, CH	1/8 x 28	10 x 1.25
/51/37	P	1/8 x 28	10 x 1.50
/51/40	P	1/8 x 28	12 x 1.50
/51/42	P	1/8 x 28	14 x 1.50
/51/43	P	1/8 x 28	16 x 1.50
/52//35	P	1/4 x 19	10 x 1.00
/52/38	P	1/4 x 19	12 x 1.00
/52/39	P	1/4 x 19	12 x 1.25
/52/40	P	1/4 x 19	12 x 1.50
/52/42	P	1/4 x 19	14 x 1.50
/53/38	P	3/8 x 19	12 x 1.00
/53/39	P	3/8 x 19	12 x 1.25
/53/40	P	3/8 x 19	12 x 1.50
/53/43	P	3/8 x 19	16 x 1.50
/53/46	P	3/8 x 19	22 x 1.50



THREE WAY (TEE) MALE X111

/51	P, C	1/8 x 28
/52	P, C	1/4 x 19
/53	P, C	3/8 x 19
/54	P, C	1/2 x 14



BSP/METRIC CONVEX MALE/MALE X106

/51/35	P, CH	1/8 x 28	10 x 1.00
/51/36	P, CH	1/8 x 28	10 x 1.25
/51/37	P	1/8 x 28	10 x 1.50



BSP/METRIC CONVEX BULKHEAD X107

/51/35	P, CH	1/8 x 28	10 x 1.00
/51/36	P, CH	1/8 x 28	10 x 1.25
/51/37	P	1/8 x 28	10 x 1.50



BSP/NPTF MALE/MALE ADAPTOR X113

SPECIFIC	MATERIAL	THREAD A	THREAD B
/51/71	P, CH, C	1/8 x 28	1/8 x 27
/52/71	P	1/4 x 19	1/8 x 27
/52/72	P, C	1/4 x 19	1/4 x 18
/52/73	P	1/4 x 19	3/8 x 18
/53/72	P	3/8 x 19	1/4 x 18
/53/73	P, C	3/8 x 19	3/8 x 18
/54/72	P	1/2 x 14	1/4 x 19
/54/73	P	1/2 x 14	3/8 x 18
/54/74	C	1/2 x 14	1/2 x 14

NPTF ADAPTORS



MALE/MALE STRAIGHT X145

SPECIFIC	MATERIAL	DETAIL
/71	D, C	1/8 x 27
/72	D, C	1/4 x 18
/73	D, C	3/8 x 18
/74	D, C	1/2 x 14
/75	D, C	3/4 x 14
/76	D, C	1 x 11-1/2



FEMALE PIPE COUPLING X146

/71	D	1/8 x 27
/72	D, C	1/4 x 18
/73	D, C	3/8 x 18
/74	D, C	1/2 x 14
/75	D, C	3/4 x 14
/76	D, C	1 x 11-1/2



THREE-WAY (TEE) FEMALE COUPLING X147

/71	D, C	1/8 x 27
/72	D, C	1/4 x 18
/73	D, C	3/8 x 18
/74	D, C	1/2 x 14
/75	D, C	3/4 x 14
/76	D, C	1 x 11-1/2



SOCKET HEAD PLUG X148

/71	D, C	1/8 x 27
/72	D, C	1/4 x 18
/73	D, C	3/8 x 18
/74	D, C	1/2 x 14
/75	D, C	3/4 x 14
/76	D, C	1 x 11-1/2



HEX HEAD PLUG X149

/71	C	1/8 x 27
/72	C	1/4 x 18
/73	C	3/8 x 18
/74	C	1/2 x 14
/75	C	3/4 x 14
/76	C	1 x 11-1/2



REDUCER BUSH X150

SPECIFIC	MATERIAL	FEMALE THREAD	MALE THREAD
/71/72	D, C	1/8 x 27	1/4 x 18
/71/73	D, C	1/8 x 27	3/8 x 18
/71/74	D, C	1/8 x 27	1/2 x 14
/72/73	D, C	1/4 x 18	3/8 x 18
/72/74	D, C	1/4 x 18	1/2 x 14
/72/75	D, C	1/4 x 18	3/4 x 14
/73/74	D, C	3/8 x 18	1/2 x 14
/73/75	D, C	3/8 x 18	3/4 x 14
/73/76	D, C	3/8 x 18	1 x 11-1/2
/74/75	D, C	1/2 x 14	3/4 x 14
/74/76	D, C	1/2 x 14	1 x 11-1/2
/75/76	D, C	3/4 x 14	1 x 11-1/2
/75/77	D, C	3/4 x 14	1-1/4 x 11-1/2



THREE-WAY CONNECTORS X114

SPECIFIC	MATERIAL	THREAD
/35	B	M10 x 1.00
/11	B	3/8 x 24



FOUR-WAY CONNECTOR X115

11	B	3/8 x 24
----	---	----------

JIC BANJO ADAPTORS



SINGLE BANJO ADAPTORS X116

SPECIFIC	MATERIAL	THREAD	DIAMETER
/10/10	C	5/16 x 24	0.3125**
/11/11	P, C, D	3/8 x 24	0.375***
/11/12	P, C	3/8 x 24	0.4375"#
/12/11	P	7/16 x 20	0.375***
/12/12	P	7/16 x 20	0.4375"#
/12/M14	D	7/16 x 20	14MM
/12/14	P	7/16 x 20	0.5625"##
/14/12	D	9/16 x 18	0.4375"#
/14/M14	D	9/16 x 18	12MM
/14/M16	D	9/16 x 18	16MM
/14/14	D	9/16 x 18	0.5625"##
/16/M14	D	3/4 x 18	14MM
/16/M16	D	3/4 x 18	16MM
/16/16	D	3/4 x 18	0.750"

* = 5/16"/8MM ** = 3/8"/10MM # = 7/16"/11MM ## = 9/16"



DOUBLE BANJO ADAPTORS X117

/10	C	5/16 x 24	0.3125**
/11	P, C, D	3/8 x 24	0.375***
/12	D	7/16 x 20	0.4375"#
/14	D	9/16 x 18	0.5625"##
/16	D	3/4 x 18	0.750"

* = 5/16"/8MM ** = 3/8"/10MM # = 7/16"/11MM ## = 9/16"

BANJO BOLTS X118



SPECIFIC	MATERIAL	THREAD
/12	P, C, D	7/16 x 20
/14	D	9/16 x 18
/16	D	3/4 x 18
/38	P, D	12 x 1.00
/39	P, D	12 x 1.25
/40	D	12 x 1.50
/40Y	D	12 x 1.50
/41X	D	14 x 1.00
/41	D	14 x 1.25
/42	D	14 x 1.50
/43XX	D	16 x 1.00
/43X	D	16 x 1.25
/43	D	16 x 1.50
/43Y	D	16 x 1.50



PRESSURE GAUGE ADAPTORS

IN-LINE ADAPTOR

X160/14/71D	D	9/16 x 18 JIC (-06) MALE ENDS WITH 1/8 x 27 NPTF TAKE-OFF PORT
-------------	---	---



BRACKET-MOUNTED ADAPTOR

X161/14/71D	D	9/16 x 18 JIC (-06) MALE ENDS WITH 1/8 x 27 NPTF TAKE-OFF PORT
-------------	---	--



CARBURETTOR FITTINGS (ALLOY) X166

PART No.	CARBURETTOR	CARBURETTOR THREAD	JIC SIZE
X166-06/HS	HOLLEY (SINGLE FEED)	9/16 x 24	-06
X166-06HD	HOLLEY (DUAL FEED)	7/8 x 20	-06
X166-08/HD	HOLLEY (DUAL FEED)	7/8 x 20	-08
X166-06/CE	CARTER/EDELBROCK	5/8 x 20	-06
X166-06/39	DELLORTO/SOLEX	M12 x 1.25	-06
X166-06/40	WEBER	M12 x 1.50	-06

GAUGE-HEAD ADAPTORS X162/3



STRAIGHT

X162/11/71P	P	1/8 NPTF FEMALE TO 3/8 x 24 JIC (-03) MALE
X162/12/71P	P	1/8 NPTF FEMALE TO 7/16 x 20 JIC (-04) MALE



90° ELBOW

X163/11/71P	P	1/8 NPTF FEMALE TO 3/8 x 24 JIC (-03) MALE
X163/12/71P	P	1/8 NPTF FEMALE TO 7/16 x 20 JIC (-04) MALE



FUEL-LINE FITTINGS X164

PART No.	MATERIAL	FUEL PUMP THREAD	JIC SIZE
X164-06/F1	D	1/2 x 20	9/16 x 18 JIC (-06) MALE
X164-06/F2	D	5/8 x 18	9/16 x 18 JIC (-06) MALE